

AK

Trust Service Practice Statement

Version 1.7 – correcting previous versions

Effective date: Retroactive, see change control on next page

AUDKENNI EHF -Trust Service Practice Statement

Change control		
Published	Version	Changes
01.11.2019	0.9	First draft version.
16.03.2021	1.0	1 st Publication
21.9.2021	1.1	Chapter 1.3.3 changed. Only Icelandic IDs allowed. Approval column removed.
23.11.2022	1.2	Added information about Automated Biometric Identity Verification (ABIV) in App. Added information about Time-Stamping Unit (TSU). Minor fixes to text.
15.09.2023	1.3	AK's address updated. Minor fixes to text, grammatical error fixed, cosmetic changes, harmonization in use of terms etc.
29.10.2023	1.4.	Reference error fixed. Minor additions to chapters 6.5.1 and 6.7.
11.01.2024	1.5.	Addition to chapter 5.8.
19.09.2025	1.6	Text regarding the right to file a complaint to Auðkenni's Supervisory Body added to chapter 9.3. Version numbers of ETSI standards updated. Minor fixes to text.
9.12.2025	1.7	<p>Correction version.</p> <p>This version shall correct version 1.1 as of 21.09.2021 with regards to issuance date of the ESTI EN 319 401 v1.2.1. The correct issuance date is 2018-04 (not 2018-02).</p> <p>This version shall correct versions 1.2, 1.3, 1.4, and 1.6 as of their effective date with regards to referenced versions of ETSI EN 319 411-2, ETSI SI EN 319 411-1 and ETSI EN 319 401 (see chapter 10). Versions 1.2, 1.3, 1.4, and 1.6 should have included the following versions of the standards:</p> <ul style="list-style-type: none"> • ETSI EN 319 411-2 V2.4.1 (2021-11) • ETSI EN 319 411-1 V1.3.1 (2021-05) • ETSI EN 319 401 V2.3.1 (2021-05) <p>This version shall correct version 1.5 as of its effective date with regards to referenced versions of ETSI EN 319 411-2 and ETSI SI EN 319 411-1 (see chapter 10). Version 1.5 should have included the following versions of the standards, and all Certificates issued during the validity of version 1.5 were issued in compliance with these standards:</p> <ul style="list-style-type: none"> • ETSI EN 319 411-2 V2.4.1 (2021-11) • ETSI EN 319 411-1 V1.3.1 (2021-05) <p>For clarification and avoidance of doubt, all Certificates issued during the validity of versions 1.2, 1.3, 1.4 and 1.6 were issued in compliance with the following versions of the standards:</p> <ul style="list-style-type: none"> • ETSI EN 319 411-2 V2.4.1 (2021-11) • ETSI EN 319 411-1 V1.3.1 (2021-05) • ETSI EN 319 401 V2.3.1 (2021-05)

TABLE OF CONTENTS

1	INTRODUCTION	5
1.1	OVERVIEW	5
1.2	DOCUMENT NAME AND IDENTIFICATION	6
1.3	PKI PARTICIPANTS	6
1.4	CERTIFICATE USAGE	7
1.5	POLICY ADMINISTRATION	7
1.6	DEFINITIONS AND ACRONYMS	8
2	PUBLICATION AND REPOSITORY RESPONSIBILITIES	10
2.1	REPOSITORIES	10
2.2	PUBLICATION OF CERTIFICATION INFORMATION	10
2.3	TIME OR FREQUENCY OF PUBLICATION	10
2.4	ACCESS CONTROLS ON REPOSITORIES	10
3	IDENTIFICATION AND AUTHENTICATION	10
3.1	NAMING	10
3.2	INITIAL IDENTITY VALIDATION	10
3.3	IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS	10
3.4	IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST	11
4	CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS	11
4.1	CERTIFICATE APPLICATION	11
4.2	CERTIFICATE APPLICATION PROCESSING	11
4.3	CERTIFICATE ISSUANCE	11
4.4	CERTIFICATE ACCEPTANCE	11
4.5	KEY PAIR AND CERTIFICATE USAGE	11
4.6	CERTIFICATE RENEWAL	11
4.7	CERTIFICATE RE-KEY	12
4.8	CERTIFICATE MODIFICATION	12
4.9	CERTIFICATE REVOCATION AND SUSPENSION	12
4.10	CERTIFICATE STATUS SERVICES	12
4.11	END OF SUBSCRIPTION	12
4.12	KEY ESCROW AND RECOVERY	12
5	FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS	12
5.1	PHYSICAL CONTROLS	12
5.2	PROCEDURAL CONTROLS	14
5.3	PERSONNEL CONTROLS	15
5.4	AUDIT LOGGING PROCEDURES	16
5.5	RECORDS ARCHIVAL	18
5.6	KEY CHANGEOVER	19
5.7	COMPROMISE AND DISASTER RECOVERY	19
5.8	CA OR RA TERMINATION	20
6	TECHNICAL SECURITY CONTROLS	21
6.1	KEY PAIR GENERATION AND INSTALLATION	21
6.2	PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS	22
6.3	OTHER ASPECTS OF KEY PAIR MANAGEMENT	24
6.4	ACTIVATION DATA	24

6.5	COMPUTER SECURITY CONTROLS	24
6.6	LIFE CYCLE TECHNICAL CONTROLS	25
6.7	NETWORK SECURITY CONTROLS	26
6.8	TIMESTAMPING	27
7	CERTIFICATE, CRL, AND OCSP PROFILES	27
7.1	CERTIFICATE PROFILE	27
7.2	CRL PROFILE	27
7.3	OCSP PROFILE	27
8	COMPLIANCE AUDIT AND OTHER ASSESSMENTS	27
8.1	FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT	27
8.2	IDENTITY/QUALIFICATIONS OF ASSESSOR	28
8.3	ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY	28
8.4	TOPICS COVERED BY ASSESSMENT	28
8.5	ACTIONS TAKEN AS A RESULT OF DEFICIENCY	28
8.6	COMMUNICATION OF RESULTS	28
9	OTHER BUSINESS AND LEGAL MATTERS	28
9.1	FEES	28
9.2	FINANCIAL RESPONSIBILITY	29
9.3	CONFIDENTIALITY OF BUSINESS INFORMATION	29
9.4	PRIVACY OF PERSONAL INFORMATION	29
9.5	INTELLECTUAL PROPERTY RIGHTS	30
9.6	REPRESENTATIONS AND WARRANTIES	30
9.7	DISCLAIMERS OF WARRANTIES	32
9.8	LIMITATIONS OF LIABILITY	32
9.9	INDEMNITIES	32
9.10	TERM AND TERMINATION	32
9.11	INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS	33
9.12	AMENDMENTS	33
9.13	DISPUTE RESOLUTION PROVISIONS	33
9.14	GOVERNING LAW	33
9.15	COMPLIANCE WITH APPLICABLE LAW	34
9.16	MISCELLANEOUS PROVISIONS	34
9.17	OTHER PROVISIONS	34
10	REFERENCES	35

1 INTRODUCTION

This document describes the general practices and procedures common to all Trust Service offered by Auðkenni ehf (AK).

This document is created according to the ETSI EN 319 400 series and describes general practices common to all Trust Services offered by AK. This document is unclassified and can be freely distributed. The descriptions of security and technical solutions are therefore at a relatively general level.

The Certification Policy (CP) and related Certification Practice Statement (CPS) describe parts specific to each Trust Service.

Pursuant to the IETF RFC 3647 [4] this document is divided into nine parts. To preserve the outline specified by RFC 3647 [4], section headings that do not apply have the statement "Not applicable". Sections that describe actions specific to a single service contain only references to service-specific Practice Statements. If the subsections are omitted, a single reference applies to all of them.


This document applies to all types of Certificate issuance at Auðkenni, including Certificates on SIM cards, Certificates on other smart cards, Certificates on remote systems, Certificates for Time-Stamping Unit, and Certificates for computer equipment (eSeal).

Certificates on SIM cards, remote systems and Cards have two key pairs, one for authentication and one for signing.

1.1 OVERVIEW

AK operates a Public Key infrastructure to provide a reliable Trust Service. AK uses intermediate certificates issued by the root Certificate Authority Íslandsrót 2021.

Following figure shows the Íslandsrót 2021 (Iceland root) chain:



Auðkenni Trust Service Practices Statement (TSPS) presents the criteria established by Auðkenni to provide an electronic Trust Service, which enhances trust and confidence in electronic transactions. TSPS describes Auðkenni practices of providing non-qualified Trust Service and Qualified Trust Service in conformity with eIDAS and legal acts of Iceland nr. 55/2019 [1], ETSI EN 319 401 General Policy Requirements for Trust Service Providers [2], and other related service-based standard requirements.

This TSPS describes practices necessary for the achievement of the security level approved by AK management. AK has achieved and maintains ISO/IEC 27001:2013 certification from BSI. The statement of applicability includes a more detailed description of security measures.

In the event of conflict between TSPS and the Practice Statements of specific services, the provisions of the Practice Statements of specific services shall prevail.

The keywords **“MUST, MUST NOT, IS REQUIRED, SHALL, SHALL NOT, SHOULD, SHOULD NOT, RECOMMENDED, CAN and OPTIONAL”** in this document must be interpreted as described in [10]. The exact meaning of these words is modified in accordance with the requirements in the text where they occur.

When the words **MUST** and **MANDATORY** are used, this means that the definition is an absolute requirement in the specification.

MUST NOT or **SHALL NOT** mean that the definition is absolutely forbidden in the specification.

SHOULD or **RECOMMENDED** means that there may be cases where there are strong reasons to ignore a subject, but in doing so, one must understand and consider the full consequence of choosing another solution.

SHOULD NOT or **NOT RECOMMENDED** means that there may be cases where there are strong reasons to, or it would be useful to, perform a certain task, but in doing so, one must understand and consider the full consequence of performing a task that is described with these words.

CAN or **OPTIONAL** means that the subject/element is optional.

1.2 DOCUMENT NAME AND IDENTIFICATION

This document is named „AK Trust Service Practice Statement”. The document goes into effect 10 days after publication on AK website and out of force when superseded by a new version.

1.3 PKI PARTICIPANTS

1.3.1 Trust Service Provider

AK is a Trust Service Provider (TSP). The roles of AK as TSP are defined in the relevant service-based Policy and/or Practice Statement.

Obligations and warranties of AK are described in chapter 9.6.1 of this TSPS.

1.3.2 Registration Authorities

Registration Authority (RA) and its roles are defined in relevant service-based Policy and/or Practice Statement. The Registration Authority (RA) operates in accordance with the terms in this document.

Obligations and warranties of RA are described in chapter 9.6.2 of this TSPS.

1.3.3 Subscribers

In this document Subscriber can be either a natural person or a legal person.

Obligations and warranties of Subscriber are described in chapter 9.6.3 of this TSPS.

Only Subscribers and Subjects with assigned ID by the National Registry or the Companies Registry can be registered.

1.3.4 *Relying Parties*

Relying Party is for example a bank, merchant, or the recipient of a message signed with a Certificate.

Obligations and warranties of the Relying Party are described in chapter 9.6.4 of this TSPS.

1.3.5 *Other Participants*

The mobile operators are responsible for providing SIM cards for key storage and the secure infrastructure for safe and secure communication with SIM cards used for Certificates.

The provider for remote Certificates is responsible for the secure key storage on remote servers and the secure infrastructure for safe and secure use of remote Certificates.

The hosting provider is responsible for the provision of Automated Biometric Identity Verification.

1.4 CERTIFICATE USAGE

1.4.1 *Appropriate Certificate Uses*

Certificates issued in accordance with this TSPS are used for authentication or digital signing. Appropriate Certificate Uses are also specified in the CP and CPS.

1.4.2 *Prohibited Certificate Uses*

Everything that is not explicitly allowed is prohibited.

1.5 POLICY ADMINISTRATION

1.5.1 *Organization Administering the Document*

This TSPS is administered by Auðkenni ehf.

1.5.2 *Contact Person*

Chief Executive Officer

Auðkenni ehf.

ID: 521000-2790

Katrínartún 4, 105 Reykjavík

Tel +354 530 0000

Email: fyrirspurnir@audkenni.is <http://www.audkenni.is>

1.5.3 *Person Determining TSPS Suitability for the Policy*

Auðkenni Chief Security Officer determines the suitability of this TSPS with the Policy.

1.5.4 *TSPS Approval Procedures*

Amendments which do not change the meaning of this TSPS, such as spelling corrections, translation activities and contact details updates, are documented in the Versions and Changes section of the present document. In this case the fractional part of the document version number is increased by one.

In case of substantial changes, the new TSPS version is clearly distinguishable from the previous ones and the version number is enlarged by one. The amended TSPS along with the enforcement date, which cannot be earlier than 10 days after publication, is published on AK website.

This TSPS shall be reviewed annually.

All amendments changing the meaning of this TSPS SHALL be approved by the Security Committee.

1.6 DEFINITIONS AND ACRONYMS

1.6.1 Definitions

In this TSPS, the following terms have the following meaning.

Term	Definition
App	Mobile application that works as a QSCD. Used on Smartphone or Smart Devices only.
Authentication	Unique identification of a person (natural or legal) by checking the alleged identity.
Authentication Certificate	Certificate is intended for Authentication.
Automated Biometric Identity Verification	Remote on-boarding process for App on smart device where the Subscriber's identity is verified by its biometric characteristics.
Card	QSCD on a plastic card.
Certificate	Public Key, together with some other information, laid down in the Certificate Profile[4], rendered unforgeable via encipherment using the Private Key of the Certificate Authority which issued it.
Certificate Authority	A part of Auðkenni's structure responsible for issuing and verifying electronic Certificates with its electronic signature.
Certificate Pair	A pair of Certificates consisting of one Authentication Certificate and one Qualified Electronic Signature Certificate.
Certificate Policy or Policy	A set of rules that indicates applicability of a specific Certificate to a community and/or PKI implementation with common security requirements.
Certificate Profile	Document that determines the information contained within a Certificate as well as the minimal requirements towards the Certificate.
Certification Practice Statement	One of the several documents that all together form the governance framework in which Certificates are created, issued, managed, and used.
Certification Service	In the context of this document, service related to issuing Certificates, managing revocation, modification, and re-key of the Certificates.
Distinguished name	Unique Subject name in the infrastructure of Certificates.
Fullgilt auðkenni 2021	An intermediary certificate, the Certificates of which enabling electronic identification and electronic signature are connected to the SIM-card of Mobile phone or plastic cards or app.
Integrity	A characteristic of an array: information has not been changed after the array was created.
National Registry	Iceland's national registry (<i>Þjóðskrá Íslands</i>)
Object Identifier	An identifier used to uniquely name an object (OID).
PIN code	Activation code for a Private Key.
Practice Statement	a statement of the practices that a TSP employs in providing a Trust Service.
Private Key	The key of a key pair that is assumed to be kept in secret by the holder of the key pair, and that is used to create electronic signatures or authenticate someone.
Public Key	The key of a key pair that may be publicly disclosed by the holder of corresponding Private Key or CA and that is used by Relying Party to verify electronic signatures created with the holder's corresponding Private Key.
Qualified Certificate	A Certificate for electronic signatures, that is issued by the qualified trust service provider and meets the requirements laid down in Annex I of eIDAS [1].
Qualified Electronic Signature	Advanced electronic signature that is created by a qualified electronic signature creation device, and which is based on a Qualified Certificate for electronic signatures.
Qualified Certificate for Electronic Seals	Qualified Certificate for Electronic Seals according to eIDAS [1].
Qualified Certificate for Electronic Signatures	Qualified Certificate for Electronic Signatures according to eIDAS [1].
Qualified Electronic Signature Creation Device (QSCD)	A Secure Signature Creation Device that meets the requirements laid down in eIDAS [1].
Qualified Trust Service	As defined in eIDAS.
Qualified Trust Service Provider	As defined in eIDAS.

Registration Authority	Entity that is responsible for identification and Authentication of Subjects of Certificates. Additionally, the Registration Authority may accept Certificate applications, check the applications and/or forward the applications to the Certificate Authority.
Relying Party	Natural or legal person that relies upon the information contained within a Certificate or Certificate status information provided by Auðkenni.
Secure Cryptographic Device	Device which holds the Private Key of the user, protects this key against compromise and performs signing or decryption functions on behalf of the user.
Subject	Natural or legal person, or an organization or a device which the Certificates are issued to.
Subscriber	A Subscriber is a natural or legal person that is a subscriber at the CA for one or more Subjects. Subscriber can also be a Subject.
Terms and Conditions	AK's document that describes obligations and responsibilities of the Subscriber with respect to using Certificates. The Subscriber must be familiar with the document and accept the Terms and Conditions upon receipt of the Certificates. The Terms and Conditions are available at repo.audkenni.is .
Trust List	A published list managed and maintained by the supervisory body, including information related to Qualified Trust Service Providers and to the Qualified Trust Services being provided.
Trusted Roles	As defined in chapter 5.2.1.
Trust Service Provider	As defined in eIDAS
Trust Service Token	Physical or binary (logical) object generated or issued as a result of the use of a Trust Service.
Trust Services	As defined in eIDAS.

1.6.2 Acronyms

Acronym	Definition
AK	Auðkenni ehf
AK CA	The system that processes the CSR from the App. This can be an external service provider such as SK
CA	Certificate Authority
CM	Card manufacturer
CP	Certificate Policy
CPS	Certification Practice Statement
CRL	Certificate Revocation List
CSR	Certificate Signing Request
DMZ	Demilitarized Zone
eIDAS	Regulation (EU) No 910/2014 [1] of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC Regulation, implemented into Icelandic law by act no. 55/2019.
eMRTD	Electronic Machine-Readable Travel Document. Identity or travel documents that have contactless integrated circuit embedded in it usable for biometric identification.
ETSI	European Telecommunications Standards Institute
FA	Fullgilt auðkenni 2021. Certificate used to issue Certificates to Subscribers. This is an intermediary root under Íslandsrót 2021.
HSM	Hardware Security Module
MO	Mobile Operator
NCP+	Normalized Certificate Policy requiring a Secure Cryptographic Device from ETSI EN 319 411-1 [8]
OCSP	Online Certificate Status Protocol
OID	Object Identifier, a unique object identification code
PIN	Private identification number
PKI	Public Key Infrastructure
QSCD	Qualified Electronic Signature Creation Device
QCP-n-qscd	Policy for EU qualified Certificate issued to a natural person where the Private Key and the related Certificate reside on a QSCD.
QCP-l-qscd	Policy for EU qualified Certificate issued to a legal person where the Private Key and the related Certificate reside on a QSCD.
RA	Registration Authority
SCM	SIM-card Manufacturer
SIM	SIM-card used in Mobile phones
TSPS	Trust Service Practice Statement
TSU	Time-Stamping Unit

2 PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 REPOSITORIES

AK makes the repository of documents on its website repo.audkenni.is available 24/7.

2.2 PUBLICATION OF CERTIFICATION INFORMATION

AK publishes all relevant information in its public repository repo.audkenni.is.

2.2.1 *Publication and Notification Policies*

This TSPS is published in AK's public information repository.

TSPS along with the enforcement dates is published at least ten days prior taking effect.

2.2.2 *Items not Published in the Practice Statement*

Refer to chapter 9.3.1 of this TSPS.

2.3 TIME OR FREQUENCY OF PUBLICATION

This TSPS and any subsequent amendments are made publicly available after approval.

AK will make all efforts to have the repository available 24/7. Upon system failure or other kinds of outage AK will restore proper functionality without delay.

2.3.1 *Directory Service*

AK publishes information on Certificates via webservice available on demand.

The purpose of the webservice is to provide the Subscribers, Relying Parties, and other persons access to the certificates registry to make inquiries about Certificates.

These services are OCSP, CRL and API.

2.4 ACCESS CONTROLS ON REPOSITORIES

Information published in AK's repository is public and not considered confidential information.

AK has implemented security measures and enforced access control to prevent unauthorized access to add, delete, or modify entries into its repository. Publishing into AK's repository is restricted to authorized employees of AK.

3 IDENTIFICATION AND AUTHENTICATION

3.1 NAMING

Specified in relevant service-based Policy and/or Practice Statement.

3.2 INITIAL IDENTITY VALIDATION

Specified in relevant service-based Policy and/or Practice Statement.

3.3 IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS

Specified in relevant service-based Policy and/or Practice Statement.

3.4 IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST

Specified in relevant service-based Policy and/or Practice Statement.

4 CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1 CERTIFICATE APPLICATION

4.1.1 *Who can Submit a Certificate Application*

Specified in relevant service-based Policy and/or Practice Statement.

4.1.2 *Enrolment Process and Responsibilities*

Specified in relevant service-based Policy and/or Practice Statement.

4.1.3 *Annual Control of QSCD*

AK monitors certification status of QSCDs in use and annually checks that QSCD is recognized by verifying validity of Common Criteria [11] Certificate issued for the QSCD or that it is continuously valid in the European Commission's list of Secure Signature Creation Devices, Qualified Signature and Seal Creation Devices notified by the member states.

If the validity in the European Commission's list of Secure Signature Creation Devices, Qualified Signature and Seal Creation Devices notified by the member states is expired due to the modification, then AK will investigate the cause of the modification from the responsible member state or/and designated certification body. If the QSCD certification is expired or invalidated, then AK will take following actions:

- notify immediately its supervisory body and conformity assessment body;
- revoke of any affected Trust Service Token;
- Inform all affected Subscribers and Relying Parties;
- All Certificates linked to the QSCD will be revoked if the certification is invalidated.

The CA key pair generation is performed in a physically secure environment by personnel in Trusted Roles. All CA key management is performed according to the formal Key Ceremony.

4.2 CERTIFICATE APPLICATION PROCESSING

Specified in relevant service-based Policy and/or Practice Statement.

4.3 CERTIFICATE ISSUANCE

Specified in relevant service-based Policy and/or Practice Statement.

4.4 CERTIFICATE ACCEPTANCE

Specified in relevant service-based Policy and/or Practice Statement.

4.5 KEY PAIR AND CERTIFICATE USAGE

Specified in relevant service-based Policy and/or Practice Statement.

4.6 CERTIFICATE RENEWAL

Specified in relevant service-based Policy and/or Practice Statement.

4.7 CERTIFICATE RE-KEY

Specified in relevant service-based Policy and/or Practice Statement.

4.8 CERTIFICATE MODIFICATION

Specified in relevant service-based Policy and/or Practice Statement.

4.9 CERTIFICATE REVOCATION AND SUSPENSION

Specified in relevant service-based Policy and/or Practice Statement.

4.10 CERTIFICATE STATUS SERVICES

Specified in relevant service-based Policy and/or Practice Statement.

4.11 END OF SUBSCRIPTION

Specified in relevant service-based Policy and/or Practice Statement.

4.12 KEY ESCROW AND RECOVERY

Specified in relevant service-based Policy and/or Practice Statement.

5 FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

In the field of security management, AK guides itself by the generally recognized standards, e.g., ISO/IEC 27001 [5], and other standards if required by regulations and law.

AK's security management policy documents include the security controls and operating procedures for AK facilities, systems and information assets providing the services. AK carries out and revises risk assessment regularly in order to evaluate business risks and determine the necessary security requirements and operational procedures. AK management approves risk assessment and accepts the residual risks identified.

AK management establishes the information security policy, which forms a basis for consistency and completeness of information security and management support.

AK Security Committee approves policies and practices related to information security for the overall AK services. AK management communicates information security policies and procedures to employees and relevant external parties who are impacted by it. In addition, AK management sets out AK approach to manage information security objectives for Trust Services, including auditable procedures for internal control.

AK has achieved and maintains ISO/IEC 27001:2013 certification.

5.1 PHYSICAL CONTROLS

AK is using physically separated space in rented server rooms specifically designed for data center operations. It is the responsibility of the owner of the premises to provide the necessary environment for the equipment. A Service Level Agreement is arranged between AK and the owner of the premises to guarantee uninterrupted and secure operation. All core hardware, including central servers and HSMs are stored in the server rooms.

AK stores paper documents with a specialized document storage provider with sufficient security protocols.

All important assets used for the provision of Trust Services are stored either in specialized server rooms or secure vaults.

5.1.1 Site Location and Construction

AK services are conducted within a physically protected environment that deters, prevents, and detects unauthorized use of, access to, or disclosure of sensitive information and systems whether covert or overt.

The protection provided is commensurate with the identified risks. AK ensures that physical access to critical services is controlled and that physical risks to its assets are minimized.

5.1.2 Physical Access

AK data centers are protected by a minimum of three tiers of physical security, with access to the lower tier required before gaining access to the higher tier. Access to the highest tier requires the participation of two persons in Trusted Roles.

The employees of AK may gain access to the facilities concerned with Trust Services of AK only based on an approved list. A log is kept for all entries to the data processing center of AK.

The owner of the premises has no independent access to AK servers.

Any persons entering this physically secure area will not remain there without oversight by an authorized person.

Physical access to AK office facilities is with an access card. Intrusion alarm is active outside office hours.

5.1.3 Power and Air Conditioning

AK's secure facilities are equipped with:

- power systems to ensure continuous, uninterrupted access to electric power; and
- heating, ventilation, air conditioning systems to control the temperature and relative humidity.

5.1.4 Water Exposures

AK has taken reasonable precautions to minimize the impact of water exposure to the information systems.

5.1.5 Fire Prevention and Protection

AK has taken reasonable precautions to prevent and extinguish fires or other damaging exposure to flame or smoke. The fire prevention and protection measures of AK have been designed to comply with local fire safety regulations.

5.1.6 Media Storage

Portable media, appliances and software may be removed from the premises of AK pursuant to the established procedure. Data media containing sensitive information may be stored only in a special fireproof safe designed for storing data media.

5.1.7 Waste Disposal

Media containing sensitive information are securely disposed of when no longer required. Paper documents and materials with sensitive information are shredded before disposal. Any media with sensitive information removed from use (removable media, hard disks etc.) are sanitized when decommissioned or recycled for other use, to prevent data leaks.

5.1.8 Off-Site Backup

AK performs routine backups of critical system data, audit log data, and other sensitive information. AK has dual data centers to ensure availability requirements. Databases in dual data centers are synchronized in real

time. In addition, routine backups are performed. Backups of the most critical information (e.g., keys and configurations) are kept off-site in secure storage.

5.2 PROCEDURAL CONTROLS

5.2.1 *Trusted Roles*

The following Trusted Roles critical for security have been defined:

- Security Officer: is responsible for the administration of and the implementation of the security practices;
- System Administrators: are responsible for the installation, configuration, and maintenance of the information system of AK, including performing the system backup and recovery.
- System Auditor or Evaluator is responsible for periodically reviewing procedures; for that it has access to monitor the document archives and information system audit logs;
- RA Training Officer: is responsible for supporting and training RA Officers, and maintaining an up-to-date registry of active RA Officers;
- RA Officer: is responsible for identification and authentication of Subjects of Certificates and may be responsible for registration, and revocation procedures.

Employees in Trusted Role have job descriptions that define the functions and responsibility related to the Trusted Role.

AK ensures that personnel have achieved trusted status, and approval is given before such personnel are:

- Issued access devices and granted access to the required facilities; or
- Issued electronic credentials to access and perform specific functions on AK or other IT systems.

Security operations are managed by AK personnel in Trusted Roles but may be performed by a non-specialist, operational personnel (under supervision), as defined within the roles and responsibility documents. All requirements and rules for or concerning personnel in Trusted Roles apply equally to personnel with the temporary or permanent employment contract.

5.2.2 *Number of Persons Required per Task*

AK has established, maintains, and enforces control procedures to ensure the segregation of duties based on job responsibility and to ensure that multiple Trusted Persons are required to perform sensitive tasks.

The following activities require a minimum of two employees in Trusted Roles:

- generation of certification keys;
- backup of the certification keys;
- restoration of the certification keys;
- management of HSMs and CA core systems;
- physical visit to data centers.

Backup and restore functions are performed by employees in Trusted Roles.

5.2.3 *Identification and Authentication for Each Role*

All Trusted Roles are performed by persons assigned to this role by the management and accepted by this person to fulfil this role.

AK has implemented an access control system, which identifies authorizations and registers all AK information system users in a trustworthy manner.

User accounts are created for personnel in specific roles that need access to the system in question. All users must log in with their personal account, and administrative commands are only available with explicit permission. File system permissions and other features available in the operating system security model are used to prevent any other use.

User accounts are locked as soon as possible when the role change dictates. Access rights are audited annually by system owners.

AK personnel are accountable for their activities and logs are kept for events.

5.2.4 *Roles Requiring Separation of Duties*

The Trusted Roles of the Security Officer, System Auditor, Software developers and System Administrators are separate functions but, in some cases, staffed by the same persons.

5.3 PERSONNEL CONTROLS

5.3.1 *Qualifications, Experience, and Clearance Requirements*

The employees of AK have received adequate training and have all the necessary experience for carrying out the duties specified in the employment contract and job description before they perform any operational or security functions.

The employment contracts signed by the employees of AK provide for the following obligations:

- to maintain the secrecy of confidential information that has come to their knowledge in the course of their performance,
- to prevent them from holding business interests in a company, which may affect their judgment in the supply of the service and
- to ensure that they have not been punished for a willful crime.

All personnel in Trusted Roles are free from any interests that may affect their impartiality regarding Trust Services operations. The conflict of interests is avoided by separation of duties. Personnel in Trusted Roles is not allowed to accept the Certificate application for itself as Subscriber or for the legal person as Subscriber represented by her.

Personnel at subcontractors receive appropriate training to perform their functions if and when they act as personnel in Trusted Roles.

5.3.2 *Background Check Procedures*

For all personnel seeking to become personnel in Trusted Roles, the verification of identity is performed through the physical presence of such personnel before the personnel in Trusted Roles can perform AK operational or security functions. Furthermore, officially recognized documents of identification e.g., ID card or passports are checked. Suitability is further confirmed through background checking procedures.

Background verification checks are carried out in accordance with relevant laws, regulations, and principles of ethics. The checks are proportional to the business requirements, the classification of the information to be accessed, and the perceived risks. These checks are conducted on all candidates for employment and on contracted partners directly performing the Trust Services providing operations with access to production data.

Background checks about criminal records are refreshed periodically.

5.3.3 Training Requirements

The employees of AK have received adequate training and have all the necessary experience for carrying out the duties specified in the employment contract and job description before they perform any operational or security functions.

AK ensures that all personnel performing managerial duties with respect to the operation of AK receive comprehensive awareness training in:

- security principles and rules in AK;
- AK internal regulations and processes;
- duties they are expected to perform.

5.3.4 Retraining Frequency and Requirements

The requirements of chapter 5.3.3 will be kept current to accommodate changes in AK system. Refresher training will be conducted as required, and AK is testing security awareness of all personnel at least once a year.

5.3.5 Job Rotation Frequency and Sequence

No rotation used.

5.3.6 Sanctions for Unauthorized Actions

AK establishes, maintains, and enforces employment policies (as part of AK Information security policy) for the discipline of personnel following unauthorized actions. Disciplinary actions include measures up to and including termination and will be commensurate with the frequency and severity of the unauthorized actions.

5.3.7 Independent Contractor Requirements

AK uses sub-contractors in Trusted Roles specified in the service-based Practice Statement. In this case AK delegates and defines the relevant requirements to the sub-contractor according to its role and tasks. The sub-contractor is responsible for compliance with defined requirements and its personnel acting in Trusted Roles.

5.3.8 Documentation Supplied to Personnel

Persons in Trusted Roles receive the requisite training and other documentation needed to perform their job responsibilities competently and satisfactorily.

5.4 AUDIT LOGGING PROCEDURES

These procedures apply to all devices involved in the life cycle management of Certificates and CRL.

The audit log is a tool for documenting and retrieving information about events concerning security in the CA and RA systems. The audit log is a distributed set of data located at RA, Certification Authority System, and central storage entities.

The audit log is used to maintain a secure production environment.

The logs are stored securely and in such a way that they can be made available for review in a timely manner.

5.4.1 *Types of Events Recorded*

AK ensures that all relevant information concerning the operation of the Trust Services is recorded for providing evidence for the purpose of legal proceedings. This information includes the archive records that are required for proving the validity of Trust Service Tokens and the audit log of the Trust Service operation.

AK's information systems or the service provider systems leave an audit log of:

- all events relating to the life cycle of keys and Certificates managed by AK;
- all significant security events, including changes in the information security policy settings, system start-up and shutdown, system crashes and hardware failures, changes in firewall configuration and rule base and PKI system access attempts, the activities of system users with superuser rights;
- all events relating to the synchronization of the clock to UTC, the detection of loss of synchronization;
- all events related to registration, including requests for Certificate revocation;
- all registration information, including identity proofing:
 - o type of document(s) presented by the applicant to support registration;
 - o record of unique identification data, numbers, or a combination thereof of identification documents;
 - o storage location of copies of applications and identification documents;
 - o identity of the entity accepting the application;
 - o method used to validate identification documents;
 - o name of submitting Registration Authority;
- all requests and reports relating to revocation, as well as the resulting actions.

5.4.2 *Frequency of Processing Log*

The logs are created in real time and can be inspected at any time by an operator with enough access rights. CA system and central servers in the operating infrastructure are either automatically monitored on a continuous basis, with alerts for security-sensitive events and traces of hostile behavior, or reviewed by an operator with enough privileges, at least once a day. System Administrators are responsible for regular reviewing of system logs and reporting of possible incidents.

Identifying important event types and extracting fields is the responsibility of System Administrators, Security Officer and integrators according to their work task.

5.4.3 *Retention Period for Audit Log*

Audit logs are retained on-site for no less than ten years.

In case of termination AK audit logs are retained and accessible until the abovementioned term for retention in accordance with chapter 5.8 of this TSPS.

5.4.4 *Protection of Audit Log*

AK uses information security solutions complying with the standards, which ensure non-recording of Private Keys, activation codes, access codes (e.g., PIN) or other security critical information in the audit log.

All logs are stored locally and are sent to the central log server. The central log servers implement the logging policy – retention and archiving.

Archived application logs have cryptographic protection.

Internal development processes define security requirements for logging processes and logs, including protection of logs. Logs are copied to a remote system which has its own access control to prevent accidental or deliberate deletion.

Non-electronic audit information is protected from unauthorized viewing, modification, and destruction through organizational means.

Access to the audit log is limited on the role/privilege basis.

Should the audit log concerning the operation of services be required for the purposes of providing evidence of the correct operation of the services and for the purpose of legal proceedings, they are made available to legal authorities and/or persons whose right of access to them arises from the law.

5.4.5 *Audit Log Backup Procedures*

AK performs regular backups of critical system data, audit log data, and other sensitive information. Audit log data backup is part of the general backup system. AK has a defined backup strategy.

5.4.6 *Audit Collection System (Internal vs. External)*

Automated audit data is generated and recorded at the application, network, and operating system level. Non-electronically generated audit data is recorded by AK persons in Trusted Roles.

5.4.7 *Notification to Event-Causing Subject*

No stipulations.

5.4.8 *Vulnerability Assessments*

The operation of the Trust Services is subject to regular vulnerability assessments and whenever a critical part of the operation is changed. The assessment could cover the operational infrastructure, cryptographic equipment, the physical environment, data storage, software, personnel, processes and procedures and communication.

The service provider performs a regular vulnerability scan on public and private IP addresses and record evidence that each vulnerability scan was performed by a person or entity with the skills, tools, proficiency, code of ethics, and independence necessary to provide a reliable report.

5.5 RECORDS ARCHIVAL

5.5.1 *Types of Records Archived*

Physical or digital archive records about Certificate applications, signed agreements, Terms and Conditions, registration information (including evidence of Subscriber and Subject identity verification) and revocation are retained.

5.5.2 *Retention Period for Archive*

Physical or digital archive records about Certificate applications, signed agreements, registration information (including evidence of Subscriber and Subject identity verification) and revocation are retained at least for 10 years after the validity of relevant Certificate.

In case of termination AK archive records are retained and accessible until abovementioned term for retention accordance with chapter 5.8 of this TSPS.

5.5.3 *Protection of Archive*

Electronic archives are kept on disks in the data center with regular backups that are kept in a different location. Paper is first scanned and then boxed and archived at a storage facility specific for paper documents.

5.5.4 *Archive Backup Procedures*

Only the digital archive is backed up.

5.5.5 Requirements for Timestamping of Records

Database entries contain accurate time and date information. The timestamps are not cryptography based.

5.5.6 Archive Collection System (Internal or External)

AK uses an internal archive collection system.

RA-s use an archive collection system for physical archive records which are returned to AK for archiving.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized personnel in Trusted Roles are allowed access to the archive.

Should the records concerning the operation of services be required for the purposes of providing evidence of the correct operation of the services and for the purpose of legal proceedings, they are made available to legal authorities and/or persons whose right of access to them arises from the law.

The integrity of the information is verified during recovery tests. The archive systems with built-in integrity controls are in use.

5.6 KEY CHANGEOVER

Specified in relevant service-based Policy and/or Practice Statement.

5.7 COMPROMISE AND DISASTER RECOVERY

5.7.1 Incident and Compromise Handling Procedures

AK has implemented a business continuity management framework, which covers procedures of risk assessment, incident handling (including a response to incidents and disasters), recovery and recovery exercises.

AK carries out a regular risk assessment of AK's Trust Services to prevent possible danger to the availability of AK's operations and to minimize the risk of losing control of the Trust Services. The list of situations considered emergency situations is determined by the risk assessment. The result of the risk assessment includes the requirements for recovery plans and recovery testing scenarios.

The procedures for handling information security incidents, emergency situations, and critical vulnerabilities are documented in the AK Security Handbook. The objective of incident procedures is the immediate response and recovery of availability and the continuous protection of AK services.

In case of private CA key compromise AK will:

- Indicate that Trust Service Tokens and validity or revocation status information issued using this CA key may no longer be valid;
- Revoke any CA Certificate that has been issued for AK when AK is informed of the compromise of another CA;
- Inform all affected Subscribers and Relying Parties.

In case of algorithm or associated parameters become insufficient for its remaining intended usage AK will additionally:

- Schedule a revocation of any affected Trust Service Token;
- Inform all affected Subscribers and Relying Parties.

Recovery plans are tested annually.

The critical vulnerability is addressed no later than 48 hours after its discovery; the vulnerability is remediated, or a mitigation plan is created and implemented to reduce the impact of vulnerability, or a decision has been made and documented that remediation is not required.

In the event of a major emergency, AK will inform all the Subscribers and Relying Parties immediately (or at least within 24 hours of the crisis committee's decision) of the emergency and proposed solution through public information communication channels.

AK will inform without undue delay but in any event within 24 hours after having become aware of it, the supervisory body and, where applicable, other relevant bodies of any breach of security or loss of integrity that has a significant impact on the Trust Services provided.

If breach is likely to involve personal data and is likely to result in high risk to the rights and freedoms of the natural person, AK will notify the Icelandic Data Protection Authority without undue delay, but at least in 72 hours after initial discovery of the personal data breach.

5.7.2 *Computing Resources, Software, and/or Data are Corrupted*

Corruption of computer resources, software and data is handled according to AK Security Handbook. In the event of a logical disaster, it is possible to roll the system back to the last successful backup, correct any mistakes, and then continue operating the system.

5.7.3 *Entity Private Key Compromise Procedures*

AK Private Key compromise is handled according to AK Business Continuity Plan.

5.7.4 *Business Continuity Capabilities After a Disaster*

In order to ensure the business continuity capabilities after a disaster, AK organizes periodically crisis management training. AK Security Handbook defines how crisis management and communication take place in emergency situations.

There is an internal agreement about priorities for systems and services recovery after the emergency or/and service interruption. AK maintains necessary back-up copies and archives to be able to restore data after the emergency. Backups of the most critical information (e.g., keys and configurations) are kept off-site in secure storage. Back-up arrangements are regularly tested to ensure that they meet business continuity requirements.

AK has dual data centers to ensure the availability of services. AK offices and data centers are independent of each other. In case of an emergency, in the data centers guidance, source codes, and other necessary materials are available from AK Office. In case of an emergency at AK office, services in data centers will continue to work.

5.8 CA OR RA TERMINATION

AK has defined a Termination Plan. The Trust Service is terminated:

- with a decision of the board of AK;
- with a decision of the supervisory body;
- with a judicial decision;
- upon the liquidation or termination of the operations of AK.

AK ensures that potential disruptions to Subscribers and Relying Parties are minimized as a result of the termination of AK's services, and it ensures the continued maintenance of information required to verify the correctness of Trust Service Tokens.

Before AK terminates a Trust Service the following procedures will be executed:

- AK informs all Subscribers and other entities with which AK has agreements or other forms of established relations. In addition, this information will be made available to other Relying Parties;
- AK makes the best effort for doing arrangements with another Trust Service Provider to transfer the provision of services for its existing customers;
- AK destroys the CA Private Keys, including backup copies or keys withdrawn from use in such a manner that the Private Keys cannot be retrieved;
- AK reinitializes or destroys any hardware appliances related to this service depending on the security regulations;
- AK terminates authorization of all subcontractors to act on behalf of AK in carrying out any functions relating to the process of issuing Trust Service Tokens;
- AK will preserve the integrity and availability of the CRL and only issue the last CRL when all Certificates in scope have expired or been revoked. In the last CRL issued, the next Update field value will be set as "99991231235959Z".

No later than three months after stopping the issuance of Certificates, AK will revoke all remaining active Certificate.

The notice of termination of AK's Trust Service will be published in the public media.

AK does not assume liability for any loss or damage sustained by the user of the service because of such termination if AK has given the notice of termination through public information communication channels at least one month in advance.

In case AK goes bankrupt or for other reasons is unable to cover the costs by itself, arrangements have been made as further described in the Termination plan.

In case AK goes bankrupt RA services will also be terminated as AK is the sole provider of the RA services.

The Termination Plan is reviewed annually and updated as needed with new information.

6 TECHNICAL SECURITY CONTROLS

6.1 KEY PAIR GENERATION AND INSTALLATION

AK uses cryptographic keys for its Trust Services and follows industry best practices for key lifecycle management, key length, and algorithms.

6.1.1 Key Pair Generation

Procedure for AK Trust Service key pair generation is carried out according to the detailed Key Ceremony Script that outlines the Key Ceremony Procedure. The creation of AK's Trust Service keys is observed by an observer, which after the creation of the keys signs the key ceremony documents confirming compliance.

The Trust Service key pair generation and the Private Key storage occur in the HSM, which is used for providing keys that at least meet the requirements established in the security standard FIPS 140-2 Level 3. The HSM protects the key from external compromise and operates in a physically secure environment.

AK has documented procedure for conducting AK Trust Service key pair generation. The script outlines the procedure, describing which roles are participating in the ceremony, which functions to be performed by every role (when, where and how), responsibilities of each role during and after the ceremony and requirements of evidence to be collected of the ceremony. At the end of the ceremony all roles partaking in the ceremony sign the Key Ceremony Script confirming that the ceremony was carried out in accordance with the stated procedure and that the integrity and confidentiality of the key pair was ensured. The more detailed procedures for key ceremony, roles, and responsibilities of participants during and after procedure, requirements for report and collected evidence are defined in AK Security Handbook.

Early enough before expiration of its Trust Service Certificate, AK generates a new Trust Service Certificate for signing Subject key pairs and apply all necessary actions to avoid disruptions of any operations that rely on the Certificate and to allow all Relying Parties to become aware of key changeover. The common name of the Trust Service Certificate always contains the number of the year which it was created. The new Trust Service Certificate is generated and distributed according to this TSPS and service-related Practice Statements.

The Subscriber Private Key generation is specified in the relevant service-based Policy and/or Practice Statement.

6.1.2 *Private Key Delivery to Subscriber*

Specified in relevant service-based Policy and/or Practice Statement.

6.1.3 *Public Key Delivery to Certificate Issuer*

Specified in relevant service-based Policy and/or Practice Statement.

6.1.4 *CA Public Key Delivery to Relying Parties*

All AK Trust Services Public Keys are distributed in the form of X.509 Certificates issued by AK CA. The primary distribution mechanism for AK Trust Service Certificates is via AK repository at repo.audkenni.is. AK takes obligation to provide AK Trust Service Certificates to Trust List of Iceland.

6.1.5 *Key Sizes*

Specified in relevant service-based Policy and/or Practice Statement.

6.1.6 *Public Key Parameters Generation and Quality Checking*

The Trust Service key pair for all CAs is generated in the HSM certified with FIPS 140-2, level 3 standard according to the profile specified in relevant service-based Practice Statement. Key pair generation is observed by the commission nominated by the CEO of AK.

6.1.7 *Key Usage Purposes (as per X.509 v3 Key Usage Field)*

Specified in relevant service-based Policy and/or Practice Statement.

6.2 PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS

6.2.1 *Cryptographic Module Standards and Controls*

AK Private Keys are stored in a FIPS 140, level 3 or Common Criteria certified HSM, and it is not possible to export these from the HSM as plain text.

AK verifies that HSM is not tampered with after its reception and installation. This is documented in the HSM life-cycle protocol.

AK verifies that HSM is functioning correctly during usage.

Cryptographic module standards and controls for cryptographic devices which carry the Subscriber Private Key are specified in relevant service-based Policy and/or Practice Statement.

AK signing keys are only used for issuing Certificates, signing revocation requests and issuing CRLs.

6.2.2 *Private Key (n out of m) Multi-Person Control*

The access to AK Trust Service keys is divided into two parts that are secured by different persons in Trusted Roles. For activation of the signing key of AK the presence of at least two authorized persons is required in accordance with chapter 5.2.2 of this TSPS.

6.2.3 *Private Key Escrow*

AK Trust Service Private Keys are held in secure cryptographic devices certified with the FIPS 140-2 level 3 standard. The activation and use of the Private Key require multi-person control as explained in chapter 6.2.2 in this TSPS.

Subscriber's Private Keys escrow is specified in relevant service-based Policy and/or Practice Statement.

6.2.4 *Private Key Backup*

To meet the availability requirements, a backup copy is made of AK Trust Service Private Keys by securely cloning them into the backup HSM. Key access is divided into two parts that are secured by different persons. The certification keys of AK can be used only when they are activated. For activation of the certification key of AK the presence of at least two authorized persons is required as explained in chapter 6.2.2 in this TSPS.

The Subscriber's Private Keys backup is specified in relevant service-based Policy and/or Practice Statement.

6.2.5 *Private Key Archival*

AK will not archive AK Trust Service Private Keys after expiration. All copies of AK Trust Service Private Keys are destroyed after their expiry or revocation so that further use or derivation thereof is impossible.

There is no archive of Subscriber's Private Keys.

6.2.6 *Private Key Transfer into or From a Cryptographic Module*

All AK Trust Service keys must be generated by and in the cryptographic module. AK generates Trust Service key pairs in the HSM in which the keys will be used.

6.2.7 *Private Key Storage on Cryptographic Module*

AK Trust Service Private Keys held in the HSM are stored in encrypted form.

The Subscriber's Private Keys storage is specified in the relevant service-based Policy and/or Practice Statement.

6.2.8 *Method of Activating Private Key*

AK Trust Service Private Keys are activated according to the specifications of the cryptographic module manufacturer. For activation of the certification key of AK the presence of at least two authorized persons is required as explained in chapter 6.2.2 of this TSPS.

Method of activating Subscriber's Private Key is specified in relevant service-based Policy and/or Practice Statement.

6.2.9 *Method of Deactivating Private Key*

AK Trust Service Private Keys are deactivated when an attempt is made to open the security module used for storage of the keys, when the configuration is changed or in other events endangering the security.

Method of deactivating Subscriber's Private Key is specified in relevant service-based Policy and/or Practice Statement.

6.2.10 *Method of Destroying Private Key*

Method of destroying the AK Trust Service Private Keys and internal control mechanisms depend on the options available to specific secure cryptographic module.

6.2.11 Cryptographic Module Rating

Refer to chapter 6.2.1 of this TSPS.

6.3 OTHER ASPECTS OF KEY PAIR MANAGEMENT

6.3.1 Public Key Archival

All Certificates issued (including all expired or revoked Certificates) are retained and archived as part of AK routine backup procedures. Public Keys are archived for subsequent verification of signatures. The retention period is for a minimum of 10 years after the validity of the relevant Certificate.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

The operational period of a Certificate ends upon revocation. The operational period for key pairs is the same as the operational period for the Certificates, except that they may continue to be used for signature verification.

In addition, AK stops issuing new Certificates at an appropriate date prior to the expiration of the Trust Service Certificate such that no Subscriber Certificate expires after the expiration of the Trust Service Certificate.

If an algorithm or the appropriate key length does not offer enough security during the validity period of the Certificate, the concerned Certificate will be revoked, and a new Certificate application will be initiated. The applicability of cryptographic algorithms and parameters is constantly supervised by AK management.

For Subscriber Certificates, the validity period is defined in the relevant service-based Policy and/or Practice Statement.

6.4 ACTIVATION DATA

6.4.1 Activation Data Generation and Installation

AK Trust Service Private Key activation data generation and installation is performed according to the user manual of the HSM.

The Subscriber's Private Key PINs generation and installation is specified in the relevant service-based Policy and/or Practice Statement.

6.4.2 Activation Data Protection

HSM is kept in secure storage and only authorized personnel in Trusted Roles have access to it.

The Subscriber's Private Key PINs protection is specified in the relevant service-based Policy and/or Practice Statement.

6.4.3 Other Aspects of Activation Data

Specified in relevant service-based Policy and/or Practice Statement.

6.5 COMPUTER SECURITY CONTROLS

6.5.1 Specific Computer Security Technical Requirements

AK ensures that the certification system components are secure and correctly operated, with an acceptable risk of failure.

AK certification services system components are managed in accordance with defined change management procedures. These procedures include system testing in an isolated test environment and the requirement that change must be approved by the Security Officer. The approval is documented for further reference.

All critical software components of AK are installed and updated from trusted sources only. There are also internal procedures to protect the integrity of certification service components against viruses, malicious and unauthorized software.

All media containing production environment software and data, audit, archive, or backup information are stored within AK with appropriate physical and logical access controls designed to limit access to authorized personnel and protect such media from accidental damage (e.g., water, fire, and electromagnetic). Media management procedures and backup of records and data to different media types to protect against obsolescence and deterioration of media within the period that records are required to be retained. Media containing sensitive information are securely disposed of when no longer required.

The performance of AK services and IT systems and their capacity is monitored, and changes are made when necessary, according to internal change management procedure.

Incident response and vulnerability management procedures are documented in an internal document. Monitoring system detects and alarms abnormal system activities that indicate potential security violations, including intrusion into the network.

Paper documents and materials with sensitive information are shredded before disposal. Media used to collect or transmit sensitive information are rendered unreadable before disposal.

AK security operations include operational procedures and responsibilities, secure systems planning and acceptance, protection from malicious software, backups, network management, monitoring of audit logs event analysis and follow-up, media handling and security, data, and software exchange.

AK has implemented security measures and follows the 'least privilege' principle when enforcing access control in order avoid unauthorized access and attempts to add, delete, or modify information in applications related to the services, including Certificates and revocation status information. User accounts are created for personnel in specific roles that need access to the system in question. AK's personnel are authenticated before using critical applications related to the services. Multi-factor authentication or split passwords for all accounts capable of directly causing Certificate issuance is enforced. All users must log in with their personal account, and administrative commands are only available through personal administration accounts with explicit permission and auditing of the execution. File system permissions and other features available in the operating system security model are used to prevent any other use. User accounts are removed as soon as possible when the role change dictates. Access rules are audited annually. Use of System utility programs is managed and restricted to authorized persons only. Systems used for administration of security policy implementation are not to be used for other purposes.

6.5.2 Computer Security Rating

AK uses standard computer systems.

6.6 LIFE CYCLE TECHNICAL CONTROLS

6.6.1 System Development Controls

An analysis of security requirements is carried out at the design and requirements specification stage of any systems development project undertaken by AK; or an analysis is carried out on behalf of AK to ensure that security is built into the Information Technology's systems.

The software will be approved by the Security Committee and will originate from a trusted source. New versions of software are tested in a testing environment of the appropriate service and their deployment is conducted according to documented change management procedures. Changes to systems are documented.

6.6.2 Security Management Controls

Measures are implemented in the information systems of AK, including all workstations for guaranteeing the integrity of software and configurations, as well as for detecting fraudulent software and restricting it from spreading.

Only the software directly used for performing the tasks is used in the information system.

6.6.3 Life Cycle Security Controls

AK policies, assets, and practices (including TSPS) for information security are reviewed by person which is responsible for administering and maintaining them at planned intervals or in case of significant changes to ensure their continuing suitability, adequacy, and effectiveness.

The configurations of AK systems are regularly checked, at least annually, for changes that violate AK security policies. A review of configurations of the issuing systems, security support systems, and front-end/internal support systems occurs regularly. The Security Officer approves changes that have an impact on the level of security provided.

AK has procedures for ensuring that security patches are applied to the certification system within a reasonable time period after they become available. The reasons for not applying any security patches will be documented.

AK manages the registration of information assets and classifies all information assets into security classes according to the results of the regular security analysis consistent with the risk assessment. A responsible person has been appointed for all important information security assets.

6.7 NETWORK SECURITY CONTROLS

AK network is divided into sub-networks by security requirements. AK has separate networks for separate roles. Communication between the network sections is restricted. Only the protocols needed for AK services are allowed through the firewalls.

There are separate and dedicated firewalls in place for enforcing the information security policy. Access to the administrative interfaces of IT equipment is not directly accessible from the public Internet. For the most critical tasks a separate workstation is used.

The front-end systems are in a DMZ protected by a firewall and load balancers. Actual security critical services and corresponding HSMs run in a secure zone that is separated by dedicated firewall and has no direct Internet access.

The CA is in a high security zone separate from all the other networks. AK systems are configured with only these accounts, applications, services, protocols, and ports that are used in the Trust Service operations.

AK ensures that only personnel in Trusted Roles have access to a secure zone and a high security zone.

The cabling and active equipment along with their configuration in AK internal network are protected by physical and organizational measures.

AK operates data centers in separate sites and with separate duplicated external network connection for redundancy to ensure high level availability of the Trust Services. Communication between sites is cryptographically secured.

All data centers are in a common internal secure network carrying the DMZ and secure zone. The transfer of sensitive information outside AK internal network is encrypted.

Communication between distinct trustworthy systems is established through trusted channels that are logically distinct from other communication channels and provide assured identification of its end points and protection of the channel data from modification or disclosure.

The security of AK internal network and external connections is monitored to prevent all access to protocols and services not required for the operation of the Trust Services.

AK performs a vulnerability scan once monthly on public and private IP addresses identified by AK.

AK undergoes a penetration test on the certification systems at the set up and after the infrastructure or application upgrades or modifications determined significant by AK. AK tests all certification systems within a two-year cycle.

AK records evidence that each vulnerability scan and penetration test was performed by a person or entity with the skills, tools, proficiency, code of ethics, and independence necessary to provide a reliable report.

All RAs access the RA system through a closed secure network. The RA system is run by AK and all RA officers must log on to the system with electronic Certificates to authenticate their identity.

6.8 TIMESTAMPING

AK does not provide time-stamping service as a qualified Trust Service.

AK does not use timestamping in relation to certification service. Database entries contain accurate time and date information. The time information is not cryptographic based. The maximum allowed time variance in all parts of the certification system is 1 second. This is guaranteed by an internal reference clock service, according to which the chronologies of all parts of the certification system are synchronized. The reference clock uses GPS as a primary time source which determines correctness of the time in AK's system. Time used to record events is synchronized to UTC at least every 24 hours.

7 CERTIFICATE, CRL, AND OCSP PROFILES

7.1 CERTIFICATE PROFILE

Specified in relevant service-based Policy and/or Practice Statement.

7.2 CRL PROFILE

Specified in relevant service-based Policy and/or Practice Statement.

7.3 OCSP PROFILE

Specified in relevant service-based Policy and/or Practice Statement.

8 COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1 FREQUENCY OR CIRCUMSTANCES OF ASSESSMENT

The conformity of information system, policies and practices, facilities, personnel, and assets of AK are assessed by a conformity assessment body pursuant to eIDAS [1], the corresponding legislation and standards or whenever a major change is made to Trust Service operations.

AK's internal auditor carries out an internal audit according to the audit schedule.

8.2 IDENTITY/QUALIFICATIONS OF ASSESSOR

The conformity assessment body is accredited in accordance with Regulation EC no 765/2008 as competent to carry out conformity assessment of qualified Trust Service Provider and Qualified Trust Services it provides.

8.3 ASSESSOR'S RELATIONSHIP TO ASSESSED ENTITY

The auditor of the conformity assessment body shall be independent from AK and AK assessed systems.

The internal auditor shall not audit its own areas of responsibility.

8.4 TOPICS COVERED BY ASSESSMENT

The conformity assessment covers the conformity of information system, policies and practices, facilities, personnel, and assets with eIDAS, respective legislation, and standards.

Conformity assessment body audits the parts of AK information system used to provide Trust Services.

The conformity assessment body and the internal auditor also audit these parts of the information system, policies and practices, facilities, personnel, and the assets of sub-contractors that are related to providing AK Trust Services (e.g. including RAs).

8.5 ACTIONS TAKEN AS A RESULT OF DEFICIENCY

In the event of a result showing deficiency in the assessment, the supervisory body requires AK to remedy any failure to fulfil requirements within a time limit (if applicable) set by the supervisory body. AK makes efforts to stay compliant and fulfil all requirements of the deficiency on time. AK management is responsible to implement a corrective action plan. AK evaluates the significances of deficiencies and prioritizes appropriate actions to be taken at least during the time limit declared by supervisory body or reasonable period.

Where personal data protection rules appear to have been breached, the supervisory body shall inform the data protection authority of the results of the compliance audit.

8.6 COMMUNICATION OF RESULTS

Audit conclusions or Certificate(s) for trust service(s), which are based on audit results of the conformity assessment conducted pursuant to eIDAS, corresponding legislation and standards, are published on AK's website repo.audkenni.is.

In addition, AK submits the resulting conformity assessment report to the supervisory body within a period of three working days of receiving it. AK submits the audit conclusions or Certificate(s) for trust service(s) to other interested parties.

9 OTHER BUSINESS AND LEGAL MATTERS

9.1 FEES

9.1.1 Certificate Issuance or Renewal Fees

Specified in relevant service-based Policy and/or Practice Statement.

9.1.2 Certificate Access Fees

Specified in relevant service-based Policy and/or Practice Statement.

9.1.3 *Revocation or Status Information Access Fees*

Specified in relevant service-based Policy and/or Practice Statement.

9.1.4 *Fees for Other Services*

Fees for services are specified in AK's price list or in the Subscriber's or Relying Party's agreement.

9.1.5 *Refund Policy*

AK handles refund requests on a case-by-case basis.

9.2 FINANCIAL RESPONSIBILITY

9.2.1 *Insurance Coverage*

AK acquires an insurance policy covering various matters including operation interruption insurance and professional liability insurance.

9.2.2 *Other Assets*

According to relevant agreements AK may give some additional warranties.

9.2.3 *Insurance or Warranty Coverage for End-Entities*

Refer to chapter 9.2.1 of this TSPS.

9.3 CONFIDENTIALITY OF BUSINESS INFORMATION

9.3.1 *Scope of Confidential Information*

All information that has become known while providing services and that is not intended for publication (e.g., information that had been known to AK because of operating and providing Trust Services) is confidential. The Subscriber has a right to get information from AK about itself according to legal acts.

9.3.2 *Information Not Within the Scope of Confidential Information*

Any information not listed as confidential or intended for internal use is public information. Information considered public in AK is listed in chapter 2.2 of this TSPS.

Additionally, non-personalized statistical data about AK's services is also considered public information. AK may publish non-personalized statistical data about its services.

9.3.3 *Responsibility to Protect Confidential Information*

AK secures confidential information and information intended for internal use from compromise and refrains from disclosing it to third parties by implementing different security controls.

Disclosure or forwarding of confidential information to a third party is permitted only with the written consent of the legal possessor of the information based on a court order or in other cases provided by law.

9.4 PRIVACY OF PERSONAL INFORMATION

9.4.1 *Personal Data Protection Principles*

AK's principles of personal data protection are described in the Privacy Policy. The Privacy Policy is published on AK's website: www.audkenni.is AK has a detailed internal personal data privacy policy.

By adhering to the above-mentioned policies, AK guarantees compliance with the Personal Data Protection Act [6] as well as non-disclosure of confidential information and adequacy of Subscriber's information storage.

9.4.2 *Personal Information Processed by AK*

The scope of personal information processed by AK is described in the Privacy Policy [7].

9.4.3 *Responsibility to Protect Private Information*

AK ensures protection of personal information by implementing security controls as described in chapter 5 of this TSPS.

9.4.4 *Notice and Consent to Use Private Information*

The exact terms under which the Subscriber grants AK its notice and consent to use its personal information are described in the Privacy Policy [7].

9.4.5 *Disclosure Pursuant to Judicial or Administrative Process*

The circumstances under which AK may disclose the Subscriber's personal information to third parties are described in the Principles of Client Data Protection [7].

9.4.6 *Other Information Disclosure Circumstances*

The circumstances under which AK may disclose the Subscriber's personal information to third parties are described in the Privacy Policy [7].

9.5 INTELLECTUAL PROPERTY RIGHTS

AK obtains intellectual property rights to this TSPS.

9.6 REPRESENTATIONS AND WARRANTIES

9.6.1 *Trust Service Provider Representations and Warranties*

AK has contractual obligations with various entities in relation to its services as a TSP. This TSPS and service-based Practice Statements are integral parts of these obligations.

AK shall:

- provide its services consistent with the requirements and the procedures defined in this TSPS and service-based policies and Practice Statements;
- carry overall responsibility for conformance with the procedures defined in this TSPS and service-based policies and Practice Statements;
- comply with eIDAS [1] and related legal acts defined in this TSPS and service-based policies and Practice Statements;
- publish this TSPS and service-based policies and Practice Statements and guarantee their availability in a public data communication network;
- publish and meet its claims in terms and conditions for Subscribers and other Relying Parties and guarantee their availability and access in a public data communication network;
- maintain confidentiality of the information which has come to its knowledge in the course of supplying the service and is not subject to publication;
- keep account of the Trust Service Tokens issued by it and their validity and ensure possibility to check the validity of Certificates;
- inform the supervisory body of any changes to a Public Key used for the provision of Trust Services;

- notify the supervisory body and, where applicable, other relevant bodies of any breach of security or loss of integrity that has a significant impact on the Trust Service provided;
- notify the Icelandic Data Protection Authority of any personal data breach, which is likely to result in high risk to the rights and freedoms of a natural person;
- where the breach of security or loss of integrity or personal data breach is likely to adversely affect a natural or legal person to whom the Trusted Service has been provided, notify the natural or legal person of the breach;
- preserve all the documentation, records and logs related to Trust Services according to the chapters 5.4 and 5.5;
- ensure a conformity assessment according to requirements and present the conclusion of conformity assessment body to the supervisory body to ensure continual status of Trust Services in the Trust List;
- have the financial stability and resources required to operate in conformity with this TSPS;
- publish the terms of the compulsory insurance policy and the conclusion of conformity assessment body in a public data communications network.

AK requires that senior executive, senior staff, and staff in Trusted Roles shall be free from any commercial, financial and other pressures which might adversely influence trust in the services provided.

Any employee of AK shall have a clear criminal record.

AK has documented agreements and contracts with its subcontracting and outsourcing parties provisioning services. AK has defined in these agreements and contracts the liability, relevant requirements and right to audit, subcontracting and outsourcing parties to be ensured that they are bound to implement any requirements and controls required by AK.

In accordance with the relevant legislation, AK does its best to guarantee that all potential service users, especially people with disabilities, can access services provided by AK on an equal basis. AK accepts that its services imply at least some sort of qualitative capabilities and legal capacity, but nonetheless truly aspires to provide Trust Services and related technical solutions in a non-discriminating way.

9.6.2 RA Representations and Warranties

RA shall:

- provide its services consistent with the requirements and the procedures defined in the contract between AK and RA, in this TSPS and service-based Policies and Practice Statements;
- provide its employees with necessary training for supply of high-quality service;
- without undue delay, after having become aware of it, notify AK of any breach of security or loss of integrity that has a significant impact on the Trust Service provided or on the personal data maintained therein.

Any RA officer employed by the RA shall have a clear criminal record.

9.6.3 Subscriber Representations and Warranties

The Subscriber shall:

- observe the requirements provided by AK in this TSPS and the respective service-based policies, terms and conditions and/or Practice Statements;
- supply true and adequate information in the application for the services, and in the event of a change in the data submitted, it shall provide the correct data in accordance with the rules established in the service-based policies and Practice Statements;

- accept that AK may refuse to provide the service if the Subscriber has intentionally presented false, incorrect or incomplete information in the application for the service;
- be solely responsible for the safekeeping of its Private Key and Trust Service Tokens. The Subscriber shall use its Private Key and Trust Service Tokens in accordance with this TSPS, service-based Practice Statements and the Terms and Conditions.

9.6.4 *Relying Party Representations and Warranties*

A Relying Party shall:

- study the risks and liabilities related to the acceptance of Certificates. The risks and liabilities have been set out in this TSPS, in the appropriate service-based policies and Practice Statements and the Terms and Conditions.
- verify the validity of Certificates based on services offered by AK using published information on AK's website or applicable service or appropriate cryptographic information.

9.6.5 *Representations and Warranties of Other Participants*

Specified in relevant service-based Policy and/or Practice Statement.

9.7 DISCLAIMERS OF WARRANTIES

AK:

- is liable for the performance of all its obligations specified in chapter 9.6.1 to the extent required by the legislation of the Republic of Iceland;
- has compulsory insurance contracts, which cover all AK Trust Services to ensure compensation for damage which is caused as a result of violation of the obligations of AK.

AK is not liable for:

- the secrecy of the Private Keys of the Subscribers, possible misuse of the Certificates or inadequate checks of the Certificates or for the wrong decisions of a Relying Party or any consequences due to errors or omission in Trust Service Token validation checks;
- the non-performance of its obligations if such non-performance is due to faults or security problems of the supervisory body, the data protection supervision authority or any other public authority or Trusted List;
- non-fulfilment of the obligations arising from the TSPS if such non-fulfilment is occasioned by Force Majeure.

9.8 LIMITATIONS OF LIABILITY

The upper limit of the liability for any claim is established in the referred insurance policy available at repo.audkenni.is.

9.9 INDEMNITIES

Indemnities between the Subscriber and AK are regulated in the Terms and Conditions.

9.10 TERM AND TERMINATION

9.10.1 *Term*

Refer to chapter 2.2.1 of this TSPS.

9.10.2 Termination

This TSPS and/or service-based Practice Statements remain in force until they are replaced by a new version or when they are terminated due to Trust Service or AK's termination.

Upon AK's termination, AK is obliged to ensure the protection of personal and confidential information.

9.10.3 Effect of Termination and Survival

AK communicates the conditions and effect of this TSPS's and/or service-based Practice Statements termination via its public repository. The communication specifies which provisions survive termination.

At a minimum, all responsibilities related to protecting personal and confidential information, also maintenance of public information of repository, AK archives for determined period and logs survive termination. All Subscriber applications remain effective until the Certificate is revoked or expired, even if this TSPS and/or service-based Practice Statements terminate.

Termination of this TSPS and/or service-based Practice Statements cannot be done before termination actions described in chapter 5.8 of this TSPS.

9.11 INDIVIDUAL NOTICES AND COMMUNICATIONS WITH PARTICIPANTS

In general, AK's website will be used to make any type of notification and communication.

Other means of individual notices and communication are specified in the relevant service-based Policy and/or Practice Statement.

9.12 AMENDMENTS

9.12.1 Procedure for Amendment

Refer to chapter 1.5.4 of this TSPS.

9.12.2 Notification Mechanism and Period

Refer to chapter 2.2.1 of this TSPS.

9.12.3 Circumstances Under Which OID Must be Changed

Not applicable.

9.13 DISPUTE RESOLUTION PROVISIONS

All disputes between the parties will be settled by negotiations. If the parties fail to reach an amicable agreement, the dispute will be resolved at the court of the location of AK.

The other parties will be informed of any claim or complaint no later than 30 calendar days after the detection of the basis of the claim, unless otherwise provided by law.

The Subscriber or other party can submit their claim or complaint to AK by phone or email.

The subscriber or other party can submit a complaint to AK's Supervisory Body, Fjarskiptastofa.

9.14 GOVERNING LAW

This TSPS is governed by the jurisdiction of the Republic of Iceland.

9.15 COMPLIANCE WITH APPLICABLE LAW

AK ensures compliance with the legal requirements to meet all applicable statutory requirements for protecting records from loss, destruction and falsification, and the requirements of the following:

- Electronic Identification and Trust Services for Electronic Transactions Act [1]
- Data Protection and processing of personal data Act; [6].

9.16 MISCELLANEOUS PROVISIONS

9.16.1 *Entire Agreement*

AK contractually obligates each RA and other participants to comply with this TSPS and applicable industry guidelines. AK also requires each party using its products and services to enter into an agreement that delineates the terms associated with the product or service. If an agreement has provisions that differ from this TSPS, then the agreement with that party prevails, but solely with respect to that party. Third parties may not rely on or bring action to enforce such an agreement.

9.16.2 *Assignment*

Any entities operating under this TSPS may not assign their rights or obligations without the prior written consent of AK. Unless specified otherwise in a contract with a party, AK does not provide notice of assignment.

9.16.3 *Severability*

If any provision of this TSPS is held invalid or unenforceable by a competent court or tribunal, the remainder of TSPS remains valid and enforceable. Each provision of this TSPS that provides for a limitation of liability, disclaimer of a warranty, or an exclusion of damages is severable and independent of any other provision.

9.16.4 *Enforcement (Attorneys' Fees and Waiver of Rights)*

AK may claim indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. AK's failure to enforce a provision of this TSPS does not waive AK's right to enforce the same provision later or right to enforce any other provision of this TSPS. To be effective, waivers must be in writing and signed by AK.

9.16.5 *Force Majeure*

The subject of Force Majeure and other parties are responsible for any consequences caused by circumstances beyond his reasonable control, including but without limitation to war (whether declared or not), acts of government or the European Union, export or import prohibitions, breakdown or general unavailability of transport, general shortages of energy, fire, explosions, accidents, strikes or other concerted actions of workmen, lockouts, sabotage, civil commotion and riots.

Communication and performance in the case of Force Majeure are regulated between the parties with the agreements.

Non-fulfilment of the obligations arising from TSPS and/or relevant service-related Policies and/or Practice Statements is not considered a violation if such non-fulfilment is occasioned by Force Majeure. None of the parties shall claim damage or any other compensation from the other parties for delays or non-fulfilment of this TSPS and/or relevant service-related Policies and/or Practice Statements caused by Force Majeure.

9.17 OTHER PROVISIONS

Not applicable.

10 REFERENCES

- [1] Electronic Identification and Trust Services for Electronic Transactions Act no. 55/2019;
- [2] ETSI EN 319 401 V2.3.1 (2021-05) Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers;
- [3] CA/Browser Forum, Baseline Requirements Certificate Policy for the Issuance and Management of Publicly Trusted Certificates, <https://cabforum.org/wp-content/uploads/CA-Browser-Forum-BR-1.3.3.pdf>;
- [4] RFC 3647 – Request For Comments 3647, Internet X.509 Public Key Infrastructure, Certificate Policy and Certification Practices Framework, <https://www.ietf.org/rfc/rfc3647.txt>;
- [5] ISO/IEC 27001:2022 Information technology - Security techniques -Information security management systems – Requirements;
- [6] Personal Data Protection and data processing Act no. 90/2018;
- [7] Privacy Policy, published: <https://www.audkenni.is/upplýsingar/personuverndarstefna-audkennis>;
- [8] ETSI EN 319 411-1 V.1.3.1 (2021-05) Electronic Signatures and Infrastructures (ESI); Policy and Security requirements for Trust Service Providers issuing certificates; Part 1: General requirements;
- [9] ETSI EN 319 411-2 V2.4.1 (2021-11) Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Policy requirements for certification authorities issuing qualified certificates.
- [10] Key Words for Use in RFCs to Indicate Requirement Levels, S.Bradner, RFC2119, March 1997
- [11] Common Criteria – ISO/IEC Standard 15408-1/2/3:2005 – Information technology – Security techniques – Evaluation criteria for IT security.